

TABLE OF CONTENTS

#3 CATWALK	1	#5 ELECTRIC	15
#2 CATWALK	2	#6 ELECTRIC	16
#1 CATWALK	4	SR BOOM 1	17
BALCONY RAIL	5	SL BOOM 1	17
HL BOX BOOM FAR LOWER	5	SR BOOM 2	17
HL BOX BOOM NEAR UPPER	6	SL BOOM 2	18
HL BOX BOOM NEAR LOWER	6	SR BOOM 3	18
HR BOX BOOM FAR LOWER	6	SL BOOM 3	18
HR BOX BOOM NEAR UPPER	6	SR BOOM 4	19
HR BOX BOOM NEAR LOWER	7	SL BOOM 4	19
PRO LADDER HL	7	SR BOOM 5	19
PRO LADDER HR	7	SL BOOM 5	20
#1 ELECTRIC	8	GROUNDROW	20
#2 ELECTRIC	9	LINESET 32	21
#3 ELECTRIC	11	LINESET 37 TREE TRUNK	21
#4 ELECTRIC	13	LINESET 39	22
		LINESET 43	22

#3 CATWALK

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
0s	3-Cat Special	ETC Source4 10deg 750W	750w	R60	(541)	1/24	24
1	Toner Red	ETC Source4 14deg 750W	750w	R27+ R132	(17)	1/60	60
2	Toner Blue	ETC Source4 14deg 750W	750w	R80+ R132	(37)	1/59	59
2s	3-Cat Special	ETC Source4 10deg 750W	750w	R60	(542)	1/23	23
3	Toner Red	ETC Source4 14deg 750W	750w	R27+ R132	(17)	1/60	60
4	Toner Blue	ETC Source4 14deg 750W	750w	R80+ R132	(37)	1/59	59
5	Toner Red	ETC Source4 14deg 750W	750w	R27+ R132	(18)	1/58	58
6	Toner Blue	ETC Source4 14deg 750W	750w	R80+ R132	(38)	1/57	57
7	Toner Red	ETC Source4 14deg 750W	750w	R27+ R132	(19)	1/56	56
8	Toner Blue	ETC Source4 14deg 750W	750w	R80+ R132	(39)	1/55	55
8s	3-Cat Special	ETC Source4 10deg 750W	750w	R60	(543)	1/2	2
9	Toner Red	ETC Source4 14deg 750W	750w	R27+ R132	(19)	1/56	56
10	Toner Blue	ETC Source4 14deg 750W	750w	R80+ R132	(39)	1/55	55
10s	3-Cat Special	ETC Source4 10deg 750W	750w	R60	(544)	1/1	1

#2 CATWALK

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
1	DL Star Turn	ETC Source4 26deg 750W	750w	R119	(531)	1/54	54
1s	2-Cat Gobo Front	ETC Source4 19deg 750W	750w	NC, T: R78418	(171)	1/53	53
1t	2-Cat Gobo Front	ETC Source4 19deg 750W	750w	NC, T: R78418	(172)	1/52	52
1u	2-Cat Gobo Front	ETC Source4 19deg 750W	750w	NC, T: R78418	(173)	1/51	51
2	Front NC Blue	ETC Source4 19deg 750W	750w	R60+ R132	(1)	1/50	50
3	Front Light Steel Blue	ETC Source4 19deg 750W	750w	R64+ R132	(21)	1/49	49
3s	SL Apron Special	ETC Source4 10deg 750W	750w	R60	(512)	1/48	48
4	2-Cat Special	ETC Source4 10deg 750W	750w	R60	(513)	1/47	47
5	Front NC Blue	ETC Source4 19deg 750W	750w	R60+ R132	(2)	1/46	46
6	Front Light Steel Blue	ETC Source4 19deg 750W	750w	R64+ R132	(22)	1/45	45
7	2-Cat Special	ETC Source4 10deg 750W	750w	R60	(514)	1/44	44
7s	2-Cat Special	ETC Source4 19deg 750W	750w	R132	(551)	1/43	43
7t	2-Cat Special	ETC Source4 10deg 750W	750w	R60	(515)	1/42	42
8	Front NC Blue	ETC Source4 19deg 750W	750w	R60+ R132	(3)	1/41	41
9	2-Cat Center Special	ETC Source4 10deg 750W	750w	R60	(511)	1/40	40
10	Front Light Steel Blue	ETC Source4 19deg 750W	750w	R64+ R132	(23)	1/39	39
10s	2-Cat Special	ETC Source4 10deg 750W	750w	R60	(516)	1/38	38
10t	2-Cat Special	ETC Source4 19deg 750W	750w	R132	(552)	1/37	37
11	2-Cat Special	ETC Source4 10deg 750W	750w	R60	(517)	1/36	36

#2 CATWALK

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
12	Front NC Blue	ETC Source4 19deg 750W	750w	R60+ R132	(4)	1/34	34
13	Front Light Steel Blue	ETC Source4 19deg 750W	750w	R64+ R132	(24)	1/33	33
14	2-Cat Special	ETC Source4 10deg 750W	750w	R60	(518)	1/32	32
14s	SR Apron Special	ETC Source4 10deg 750W	750w	R60	(519)	1/31	31
15	Front NC Blue	ETC Source4 19deg 750W	750w	R60+ R132	(5)	1/30	30
16	Front Light Steel Blue	ETC Source4 19deg 750W	750w	R64+ R132	(25)	1/29	29
16s	2-Cat Gobo Front	ETC Source4 19deg 750W	750w	NC, T: R78418	(174)	1/28	28
16t	2-Cat Gobo Front	ETC Source4 19deg 750W	750w	NC, T: R78418	(175)	1/27	27
16u	2-Cat Gobo Front	ETC Source4 19deg 750W	750w	NC, T: R78418	(176)	1/26	26
17	DR Star Turn	ETC Source4 26deg 750W	750w	R119	(532)	1/25	25

#1 CATWALK

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
1	Front NC Blue	ETC Source4 19deg 750W+Light Acc 7.5in Top Hat	750w	R60+ R132	(6)	1/21	21
2	Front Light Steel Blue	ETC Source4 19deg 750W+Light Acc 7.5in Top Hat	750w	R64+ R132	(26)	1/20	20
2s	1-Cat Special	ETC Source4 10deg 750W	750w	R60	(522)	1/19	19
3	Front NC Blue	ETC Source4 19deg 750W+Light Acc 7.5in Top Hat	750w	R60+ R132	(7)	1/18	18
4	Front Light Steel Blue	ETC Source4 19deg 750W+Light Acc 7.5in Top Hat	750w	R64+ R132	(27)	1/17	17
5	1-Cat Special	ETC Source4 10deg 750W	750w	R60	(523)	1/15	15
6	Front NC Blue	ETC Source4 19deg 750W+Light Acc 7.5in Top Hat	750w	R60+ R132	(8)	1/14	14
7	1-Cat Ctr/ Maestro Special	ETC Source4 10deg 750W	750w	R60	(521)	1/13	13
8	Front Light Steel Blue	ETC Source4 19deg 750W+Light Acc 7.5in Top Hat	750w	R64+ R132	(28)	1/12	12
9	1-Cat Special	ETC Source4 10deg 750W	750w	R60	(524)	1/10	10
10	Front NC Blue	ETC Source4 19deg 750W+Light Acc 7.5in Top Hat	750w	R60+ R132	(9)	1/8	8
11	Front Light Steel Blue	ETC Source4 19deg 750W+Light Acc 7.5in Top Hat	750w	R64+ R132	(29)	1/7	7
11s	1-Cat Special	ETC Source4 10deg 750W	750w	R60	(525)	1/6	6
12	Front NC Blue	ETC Source4 19deg 750W+Light Acc 7.5in Top Hat	750w	R60+ R132	(10)	1/5	5
13	Front Light Steel Blue	ETC Source4 19deg 750W+Light Acc 7.5in Top Hat	750w	R64+ R132	(30)	1/4	4

BALCONY RAIL

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
1		ETC Source4 90deg 750W	750w	NC	(1009)	1/114	114
2	Gobo Special	ETC Source4 26deg 750W	750w	R388, T: G629	(502)	1/113	113
3	Curtain Warmer Punch	Source Four PAR MFL 750+Light Acc 7.5in Top Hat	750w	L181	(411)	1/112	112
4	Curtain Warmer Punch	Source Four PAR MFL 750+Light Acc 7.5in Top Hat	750w	L181	(411)	1/112	112
5	Gobo Special	ETC Source4 26deg 750W	750w	R388, T: G629	(503)	1/108	108
6	Gobo Special	ETC Source4 26deg 750W	750w	R388, T: G629	(501)	1/110	110
7	Gobo Special	ETC Source4 26deg 750W	750w	R388, T: G629	(504)	1/109	109
8	Curtain Warmer Punch	Source Four PAR MFL 750+Light Acc 7.5in Top Hat	750w	L181	(412)	1/105	105
9	Curtain Warmer Punch	Source Four PAR MFL 750+Light Acc 7.5in Top Hat	750w	L181	(412)	1/105	105
10	Gobo Special	ETC Source4 26deg 750W	750w	R388, T: G629	(505)	1/111	111
11		ETC Source4 90deg 750W	750w	NC	(1009)	1/107	107

HL BOX BOOM FAR LOWER

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
1	Box Boom Fire Red	ETC Source4 26deg 750W+Light Acc 6.25in Top Hat	750w	R19+ R132	(303)	1/77	77
2	Box Boom NC Blue	ETC Source4 26deg 750W+Light Acc 6.25in Top Hat	750w	R64+ R132	(313)	1/93	93
3	Box Boom NC Blue	ETC Source4 26deg 750W+Light Acc 6.25in Top Hat	750w	R60+ R132	(323)	1/94	94

HL BOX BOOM NEAR UPPER

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
1	Curtain Warmer Low > R	ETC Source4 26deg 750W+Light Acc 6.25in Top Hat	750w	R58+ R132+HS	(403)	1/63	63

HL BOX BOOM NEAR LOWER

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
1	Box Boom Fire Red	ETC Source4 36deg 750W+Light Acc 6.25in Top Hat	750w	R19+ R132	(304)	1/80	80
2	Box Boom NC Blue	ETC Source4 36deg 750W+Light Acc 6.25in Top Hat	750w	R64+ R132	(314)	1/79	79
3	Box Boom NC Blue	ETC Source4 36deg 750W+Light Acc 6.25in Top Hat	750w	R60+ R132	(324)	1/78	78

HR BOX BOOM FAR LOWER

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
1	Box Boom Fire Red	ETC Source4 26deg 750W+Light Acc 6.25in Top Hat	750w	R19+ R132	(302)	1/88	88
2	Box Boom Light Steel Blue	ETC Source4 26deg 750W+Light Acc 6.25in Top Hat	750w	R64+ R132	(312)	1/99	99
3	Box Boom NC Blue	ETC Source4 26deg 750W+Light Acc 6.25in Top Hat	750w	R60+ R132	(322)	1/100	100

HR BOX BOOM NEAR UPPER

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
1	Curtain Warmer Low < L	ETC Source4 26deg 750W+Light Acc 6.25in Top Hat	750w	R58+ R132+HS	(406)	1/69	69

HR BOX BOOM NEAR LOWER

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
1	Box Boom Fire Red	ETC Source4 36deg 750W+Light Acc 6.25in Top Hat	750w	R19+ R132	(301)	1/85	85
2	Box Boom Light Steel Blue	ETC Source4 36deg 750W+Light Acc 6.25in Top Hat	750w	R64+ R132	(311)	1/86	86
3	Box Boom NC Blue	ETC Source4 36deg 750W+Light Acc 6.25in Top Hat	750w	R60+ R132	(321)	1/87	87

PRO LADDER HL

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
2	Curtain Warmer High > R	ETC Source4 26deg 750W+Light Acc 6.25in Top Hat	750w	R58+ R132+HS	(402)	1/62	62
3	SR Apron Backlight > R	ETC Source4 26deg 750W+Light Acc 6.25in Top Hat	750w	R58+ R132+HS	(401)	1/64	64

PRO LADDER HR

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
2	Curtain Warmer High < L	ETC Source4 26deg 750W+Light Acc 6.25in Top Hat	750w	R58+ R132+HS	(405)	1/70	70
3	SL Apron Backlight < L	ETC Source4 26deg 750W+Light Acc 6.25in Top Hat	750w	R64+ R132	(404)	1/71	71

#1 ELECTRIC

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
1	Pipe End Near > L	ETC Source4 36deg 750W	750w	R60+ R132	(41)	1/144	144
2	Pipe End Far > L	ETC Source4 26deg 750W	750w	R60+ R132	(51)	1/143	143
3	Pipe End Cool > L	ETC Source4 26deg 750W	750w	R64+ R132	(61)	1/142	142
4	Pipe End Gobos > L	ETC Source4 26deg 750W	750w	R388, T: R77119	(71)	1/141	141
5	Top LED	ETC D60 Lustr SELR-MFL	161w	LED x7	(81)	7/11	140
6	Special	ETC Source4 36deg 750W	750w	R60	(151)	1/139	139
7	Top LED	ETC D60 Lustr SELR-MFL	161w	LED x7	(82)	7/21	140
8	Special	ETC Source4 36deg 750W	750w	R60	(152)	1/133	133
8a	DC effects & specials	Elation Smarty Hybrid	480w		(271)	7/201	131
9	Top LED	ETC D60 Lustr SELR-MFL	161w	LED x7	(83)	7/31	140
10	Top LED	ETC D60 Lustr SELR-MFL	161w	LED x7	(84)	7/41	140
11	Special	ETC Source4 36deg 750W	750w	R60	(153)	1/128	128
12	Top LED	ETC D60 Lustr SELR-MFL	161w	LED x7	(85)	7/51	140
13	Pipe End Gobos < R	ETC Source4 26deg 750W	750w	R388, T: R77119	(76)	1/135	135
14	Pipe End Cool < R	ETC Source4 26deg 750W	750w	R64+ R132	(66)	1/136	136
15	Pipe End Far < R	ETC Source4 26deg 750W	750w	R60+ R132	(56)	1/137	137
16	Pipe End Near < R	ETC Source4 36deg 750W	750w	R60+ R132	(46)	1/138	138

#2 ELECTRIC

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
1	Pipe End Near > L	ETC Source4 36deg 750W	750w	R60+ R132	(42)	1/150	150
2	Pipe End Far > L	ETC Source4 26deg 750W	750w	R60+ R132	(52)	1/149	149
3	Pipe End Cool > L	ETC Source4 26deg 750W	750w	R64+ R132	(62)	1/148	148
4	Pipe End Gobos > L	ETC Source4 26deg 750W	750w	R388, T: R77119	(72)	1/147	147
5	Front NC Blue	ETC Source4 26deg 750W	750w	R60+ R132	(11)	1/145	145
6	Front Light Steel Blue	ETC Source4 26deg 750W	750w	R64+ R132	(31)	1/155	155
7	Top LED	ETC D60 Lustr SELR-MFL	161w	LED x7	(86)	2/11	146
8	Front NC Blue	ETC Source4 26deg 750W	750w	R60+ R132	(12)	1/152	152
9	Special	ETC Source4 36deg 750W	750w	R60	(154)	1/153	153
10	Front Light Steel Blue	ETC Source4 26deg 750W	750w	R64+ R132	(32)	1/151	151
11	Top LED	ETC D60 Lustr SELR-MFL	161w	LED x7	(87)	2/21	146
12	Front NC Blue	ETC Source4 26deg 750W	750w	R60+ R132	(13)	1/156	156
13	Special	ETC Source4 36deg 750W	750w	R60	(155)	1/157	157
14	Top LED	ETC D60 Lustr SELR-MFL	161w	LED x7	(88)	2/31	146
15	Front Light Steel Blue	ETC Source4 26deg 750W	750w	R64+ R132	(33)	1/158	158
16	Top LED	ETC D60 Lustr SELR-MFL	161w	LED x7	(89)	2/41	146
17	Front NC Blue	ETC Source4 26deg 750W	750w	R60+ R132	(14)	1/159	159
18	Special	ETC Source4 36deg 750W	750w	R60	(156)	1/160	160

#2 ELECTRIC

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
19	Front Light Steel Blue	ETC Source4 26deg 750W	750w	R64+ R132	(34)	1/161	161
20	Top LED	ETC D60 Lustr SELR-MFL	161w	LED x7	(90)	2/51	146
21	Front NC Blue	ETC Source4 26deg 750W	750w	R60+ R132	(15)	1/163	163
22	Front Light Steel Blue	ETC Source4 26deg 750W	750w	R64+ R132	(35)	1/164	164
23	Pipe End Gobos < R	ETC Source4 26deg 750W	750w	R388, T: R77119	(77)	1/165	165
24	Pipe End Cool < R	ETC Source4 26deg 750W	750w	R64+ R132	(67)	1/166	166
25	Pipe End Far < R	ETC Source4 26deg 750W	750w	R60+ R132	(57)	1/167	167
26	Pipe End Near < R	ETC Source4 36deg 750W	750w	R60+ R132	(47)	1/168	168

#3 ELECTRIC

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
1	Pipe End Near > L	ETC Source4 36deg 750W	750w	R60+ R132	(43)	1/174	174
2	Pipe End Far > L	ETC Source4 26deg 750W	750w	R60+ R132	(53)	1/173	173
3	Pipe End Cool > L	ETC Source4 26deg 750W	750w	R64+ R132	(63)	1/172	172
4	Pipe End Gobos > L	ETC Source4 26deg 750W	750w	R388, T: R77119	(73)	1/171	171
5	DS Backlight TXT LED > L	ETC Source4 LED2LS 26deg	171w	LEDx7, T:G655	(231)	3/301	125
6	Top LED	ETC D60 Lustr SELR-MFL	161w	LED x7	(91)	3/11	170
7	DS Backlight TXT LED > L	ETC Source4 LED2LS 26deg	171w	LEDx7, T:G655	(232)	3/311	125
8	Special	ETC Source4 36deg 750W	750w	R60	(157)	1/169	169
8s	Back color DL	Chauvet COLORado 2 Quad Zoom Tour+Light Acc C Clamp	205w	LED	(331)	3/201	122
9	Top LED	ETC D60 Lustr SELR-MFL	161w	LED x7	(92)	3/21	170
10	DS Backlight TXT LED > L	ETC Source4 LED2LS 26deg	171w	LEDx7, T:G655	(233)	3/321	125
10s	Back color DLC	Chauvet COLORado 2 Quad Zoom Tour+Light Acc C Clamp	205w	LED	(332)	3/221	122
11	Special	ETC Source4 36deg 750W	750w	R60	(158)	1/121	121
12	Top LED	ETC D60 Lustr SELR-MFL	161w	LED x7	(93)	3/31	170
12s	Back color DRC	Chauvet COLORado 2 Quad Zoom Tour+Light Acc C Clamp	205w	LED	(333)	3/241	122
13	DS Backlight TXT LED < R	ETC Source4 LED2LS 26deg	171w	LEDx7, T:G655	(241)	3/331	125
14	Top LED	ETC D60 Lustr SELR-MFL	161w	LED x7	(94)	3/41	170

#3 ELECTRIC

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
14s	Back color DR	Chauvet COLORado 2 Quad Zoom Tour+Light Acc C Clamp	205w	LED	(334)	3/261	122
15	Special	ETC Source4 36deg 750W	750w	R60	(159)	1/126	126
16	DS Backlight TXT LED < R	ETC Source4 LED2LS 26deg	171w	LEDx7, T:G655	(242)	3/341	125
17	Top LED	ETC D60 Lustr SELR-MFL	161w	LED x7	(95)	3/51	170
18	DS Backlight TXT LED < R	ETC Source4 LED2LS 26deg	171w	LEDx7, T:G655	(243)	3/361	125
19	Pipe End Gobos < R	ETC Source4 26deg 750W	750w	R388, T: R77119	(78)	1/177	177
20	Pipe End Cool < R	ETC Source4 26deg 750W	750w	R64+ R132	(68)	1/178	178
21	Pipe End Far < R	ETC Source4 26deg 750W	750w	R60+ R132	(58)	1/179	179
22	Pipe End Near < R	ETC Source4 36deg 750W	750w	R60+ R132	(48)	1/180	180

#4 ELECTRIC

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
1	Pipe End Near > L	ETC Source4 36deg 750W	750w	R60+ R132	(44)	1/192	192
2	Pipe End Far > L	ETC Source4 26deg 750W	750w	R60+ R132	(54)	1/191	191
3	Pipe End Cool > L	ETC Source4 26deg 750W	750w	R64+ R132	(64)	1/190	190
4	Pipe End Gobos > L	ETC Source4 26deg 750W	750w	R388, T: R77119	(74)	1/189	189
5	MS Backlight TXT LED > L	ETC Source4 LED2LS 26deg	171w	LEDx7, T:G655	(234)	4/301	187
6	Top LED	ETC D60 Lustr SELR-MFL	161w	LED x7	(96)	4/11	188
7	MS Backlight TXT LED > L	ETC Source4 LED2LS 26deg	171w	LEDx7, T:G655	(235)	4/311	187
8	Special	ETC Source4 36deg 750W	750w	R60	(160)	1/203	203
8s	Back color C-L	Chauvet COLORado 2 Quad Zoom Tour+Light Acc C Clamp	205w	LED	(335)	4/201	199
9	Top LED	ETC D60 Lustr SELR-MFL	161w	LED x7	(97)	4/21	188
9z	Color Blast LC	Blizzard Lighting Motif Fresco+ Light Acc C Clamp	44w	LED	(343)	4/221	199
10	MS Backlight TXT LED > L	ETC Source4 LED2LS 26deg	171w	LEDx7, T:G655	(236)	4/321	187
10s	Back color C-C	Chauvet COLORado 2 Quad Zoom Tour+Light Acc C Clamp	205w	LED	(336)	4/241	199
11	Special	ETC Source4 36deg 750W	750w	R60	(161)	1/200	200
12	Top LED	ETC D60 Lustr SELR-MFL	161w	LED x7	(98)	4/31	188
13	MS Backlight TXT LED < R	ETC Source4 LED2LS 26deg	171w	LEDx7, T:G655	(244)	4/331	187
13z	Color Blast RC	Blizzard Lighting Motif Fresco+ Light Acc C Clamp	44w	LED	(344)	4/261	199

#4 ELECTRIC

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
14	Top LED	ETC D60 Lustr SELR-MFL	161w	LED x7	(99)	4/41	188
14s	Back color C-R	Chauvet COLORado 2 Quad Zoom Tour+Light Acc C Clamp	205w	LED	(337)	4/281	199
15	Special	ETC Source4 36deg 750W	750w	R60	(162)	1/204	204
16	MS Backlight TXT LED < R	ETC Source4 LED2LS 26deg	171w	LEDx7, T:G655	(245)	4/341	187
17	Top LED	ETC D60 Lustr SELR-MFL	161w	LED x7	(100)	4/51	188
18	MS Backlight TXT LED < R	ETC Source4 LED2LS 26deg	171w	LEDx7, T:G655	(246)	4/361	187
19	Pipe End Gobos < R	ETC Source4 26deg 750W	750w	R388, T: R77119	(79)	1/195	195
20	Pipe End Cool < R	ETC Source4 26deg 750W	750w	R64+ R132	(69)	1/196	196
21	Pipe End Far < R	ETC Source4 26deg 750W	750w	R60+ R132	(59)	1/197	197
22	Pipe End Near < R	ETC Source4 36deg 750W	750w	R60+ R132	(49)	1/198	198

#5 ELECTRIC

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
1	Pipe End Near > L	ETC Source4 36deg 750W	750w	R60+ R132	(45)	1/222	222
2	Pipe End Far > L	ETC Source4 26deg 750W	750w	R60+ R132	(55)	1/221	221
3	Pipe End Cool > L	ETC Source4 26deg 750W	750w	R64+ R132	(65)	1/220	220
4	US Backlight TXT LED > L	ETC Source4 LED2LS 26deg	171w	LEDx7, T:G655	(237)	5/61	218
5	US Backlight TXT LED > L	ETC Source4 LED2LS 26deg	171w	LEDx7, T:G655	(238)	5/71	218
6	Top LED	ETC D60 Lustr SELR-MFL	161w	LED x7	(101)	5/11	218
7	Special	ETC Source4 36deg 750W	750w	R60	(163)	1/217	217
7s	Back color UL	Chauvet COLORado 2 Quad Zoom Tour+Light Acc C Clamp	205w	LED	(338)	5/201	226
8	Preshow Backlight > L	ETC Source4 26deg 750W	750w	R388	(251)	1/227	227
9	Top LED	ETC D60 Lustr SELR-MFL	161w	LED x7	(102)	5/21	218
9s	Back color ULC	Chauvet COLORado 2 Quad Zoom Tour+Light Acc C Clamp	205w	LED	(339)	5/221	226
10	Special	ETC Source4 36deg 750W	750w	R60	(164)	1/223	223
10s	Back color URC	Chauvet COLORado 2 Quad Zoom Tour+Light Acc C Clamp	205w	LED	(340)	5/241	226
11	Top LED	ETC D60 Lustr SELR-MFL	161w	LED x7	(103)	5/31	226
12	Preshow Backlight < R	ETC Source4 26deg 750W	750w	R388	(252)	1/228	228
12s	Back color UR	Chauvet COLORado 2 Quad Zoom Tour+Light Acc C Clamp	205w	LED	(341)	5/261	226
13	Special	ETC Source4 36deg 750W	750w	R60	(165)	1/212	212
14	Top LED	ETC D60 Lustr SELR-MFL	161w	LED x7	(104)	5/41	226

#5 ELECTRIC

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
15	US Backlight TXT LED < R	ETC Source4 LED2LS 26deg	171w	LEDx7, T:G655	(247)	5/81	226
16	US Backlight TXT LED < R	ETC Source4 LED2LS 26deg	171w	LEDx7, T:G655	(248)	5/91	226
17	Pipe End Cool < R	ETC Source4 26deg 750W	750w	R64+ R132	(70)	1/214	214
18	Pipe End Far < R	ETC Source4 26deg 750W	750w	R60+ R132	(60)	1/215	215
19	Pipe End Near < R	ETC Source4 36deg 750W	750w	R60+ R132	(50)	1/216	216

#6 ELECTRIC

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
1	CYC	SL BAR 660 Hang	750w	[LED]	(351)	6/1	208
2	CYC	SL BAR 660 Hang	750w	[LED]	(352)	6/57	205
3	CYC	SL BAR 660 Hang	750w	[LED]	(353)	6/113	206
4	CYC	SL BAR 660 Hang	750w	[LED]	(354)	6/169	207
5	CYC	SL BAR 660 Hang	750w	[LED]	(355)	6/225	209
6	CYC	SL BAR 660 Hang	750w	[LED]	(356)	6/281	209
7	CYC	SL BAR 660 Hang	750w	[LED]	(357)	6/337	210
8	CYC	SL BAR 660 Hang	750w	[LED]	(358)	6/393	210

SR BOOM 1

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
1	Head High SR In-1	ETC Source4 LED2LS 36deg	171w	R132/ LEDx7	(206)	12/1	240
2	Mid SR In-1	ETC Source4 LED2LS 36deg	171w	R132/ LEDx7	(216)	12/11	240
3	Shin SR In-1	ETC Source4 LED2LS 36deg	171w	R132/ LEDx7	(226)	12/21	240

SL BOOM 1

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
1	Head High SL In-1	ETC Source4 LED2LS 36deg	171w	R132/ LEDx7	(201)	10/1	185
2	Mid SL In-1	ETC Source4 LED2LS 36deg	171w	R132/ LEDx7	(211)	10/11	185
3	Shin SL In-1	ETC Source4 LED2LS 36deg	171w	R132/ LEDx7	(221)	10/21	185

SR BOOM 2

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
1	Head High SR In-2	ETC Source4 LED2LS 36deg	171w	R132/ LEDx7	(207)	12/31	239
2	Mid SR In-2	ETC Source4 LED2LS 36deg	171w	R132/ LEDx7	(217)	12/41	239
3	Shin SR In-2	ETC Source4 LED2LS 36deg	171w	R132/ LEDx7	(227)	12/51	239

SL BOOM 2

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
1	Head High SL In-2	ETC Source4 LED2LS 36deg	171w	R132/ LEDx7	(202)	10/31	182
2	Mid SL In-2	ETC Source4 LED2LS 36deg	171w	R132/ LEDx7	(212)	10/41	182
3	Shin SL In-2	ETC Source4 LED2LS 36deg	171w	R132/ LEDx7	(222)	10/51	182

SR BOOM 3

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
1	Head High SR In-3	ETC Source4 LED2LS 36deg	171w	R132/ LEDx7	(208)	12/61	238
2	Mid SR In-3	ETC Source4 LED2LS 36deg	171w	R132/ LEDx7	(218)	12/71	238
3	Shin SR In-3	ETC Source4 LED2LS 36deg	171w	R132/ LEDx7	(228)	12/81	238

SL BOOM 3

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
1	Head High SL In-3	ETC Source4 LED2LS 36deg	171w	R132/ LEDx7	(203)	10/61	183
2	Mid SL In-3	ETC Source4 LED2LS 36deg	171w	R132/ LEDx7	(213)	10/71	183
3	Shin SL In-3	ETC Source4 LED2LS 36deg	171w	R132/ LEDx7	(223)	10/81	183

SR BOOM 4

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
1	Head High SR In-4	ETC Source4 LED2LS 36deg	171w	R132/ LEDx7	(209)	12/91	237
2	Mid SR In-4	ETC Source4 LED2LS 36deg	171w	R132/ LEDx7	(219)	12/101	237
3	Shin SR In-4	ETC Source4 LED2LS 36deg	171w	R132/ LEDx7	(229)	12/111	237

SL BOOM 4

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
1	Head High SL In-4	ETC Source4 LED2LS 36deg	171w	R132/ LEDx7	(204)	10/91	184
2	Mid SL In-4	ETC Source4 LED2LS 36deg	171w	R132/ LEDx7	(214)	10/101	184
3	Shin SL In-4	ETC Source4 LED2LS 36deg	171w	R132/ LEDx7	(224)	10/111	184

SR BOOM 5

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
1	Head High SR In-5	ETC Source4 LED2LS 36deg	171w	R132/ LEDx7	(210)	12/121	236
2	Mid SR In-5	ETC Source4 LED2LS 36deg	171w	R132/ LEDx7	(220)	12/131	236
3	Shin SR In-5	ETC Source4 LED2LS 36deg	171w	R132/ LEDx7	(230)	12/141	236

SL BOOM 5

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
1	Head High SL In-5	ETC Source4 LED2LS 36deg	171w	R132/ LEDx7	(205)	10/121	186
2	Mid SL In-5	ETC Source4 LED2LS 36deg	171w	R132/ LEDx7	(215)	10/131	186
3	Shin SL In-5	ETC Source4 LED2LS 36deg	171w	R132/ LEDx7	(225)	10/141	186

GROUNDROW

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
1	Groundrow	SL BAR 660 Hang	750w	[LED]	(361)	8/1	259
2	Groundrow	SL BAR 660 Hang	750w	[LED]	(362)	8/57	259
3	Groundrow	SL BAR 660 Hang	750w	[LED]	(363)	8/113	260
4	Groundrow	SL BAR 660 Hang	750w	[LED]	(364)	8/169	260
5	Groundrow	SL BAR 660 Hang	750w	[LED]	(365)	8/225	261
6	Groundrow	SL BAR 660 Hang	750w	[LED]	(366)	8/281	261
7	Groundrow	SL BAR 660 Hang	750w	[LED]	(367)	8/337	262
8	Groundrow	SL BAR 660 Hang	750w	[LED]	(368)	8/393	262

LINESET 32

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
1	SCENIC LED LIGHTBULBS	Edison Light Bulb LED	10w		(801)	11/1	
2	SCENIC LED LIGHTBULBS	Edison Light Bulb LED	10w		(802)	11/2	
3	SCENIC LED LIGHTBULBS	Edison Light Bulb LED	10w		(803)	11/3	
4	SCENIC LED LIGHTBULBS	Edison Light Bulb LED	10w		(804)	11/4	
5	SCENIC LED LIGHTBULBS	Edison Light Bulb LED	10w		(805)	11/5	
6	SCENIC LED LIGHTBULBS	Edison Light Bulb LED	10w		(806)	11/6	

LINESET 37 TREEE TRUNK

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
1	FIREFLY SCENIC LIGHTS	Firefly Magic	10w		(901)	11/21	

LINESET 39

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
1	SCENIC LED LIGHTBULBS	Edison Light Bulb LED	10w		(811)	11/7	
2	SCENIC LED LIGHTBULBS	Edison Light Bulb LED	10w		(812)	11/8	
3	SCENIC LED LIGHTBULBS	Edison Light Bulb LED	10w		(813)	11/9	
4	SCENIC LED LIGHTBULBS	Edison Light Bulb LED	10w		(814)	11/10	
5	SCENIC LED LIGHTBULBS	Edison Light Bulb LED	10w		(815)	11/11	
6	SCENIC LED LIGHTBULBS	Edison Light Bulb LED	10w		(816)	11/12	

LINESET 43

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
1	SCENIC LED LIGHTBULBS	Edison Light Bulb LED	10w		(821)	11/13	
2	SCENIC LED LIGHTBULBS	Edison Light Bulb LED	10w		(822)	11/14	
3	SCENIC LED LIGHTBULBS	Edison Light Bulb LED	10w		(823)	11/15	
4	SCENIC LED LIGHTBULBS	Edison Light Bulb LED	10w		(824)	11/16	
5	SCENIC LED LIGHTBULBS	Edison Light Bulb LED	10w		(825)	11/17	
6	SCENIC LED LIGHTBULBS	Edison Light Bulb LED	10w		(826)	11/18	
7	SCENIC LED LIGHTBULBS	Edison Light Bulb LED	10w		(827)	11/19	
8	SCENIC LED LIGHTBULBS	Edison Light Bulb LED	10w		(828)	11/20	