

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & G	Dim	Address
(1)	ELEC 1	4	Elation Artiste Monet 1.3kW	Movers - Elec 1		104	11/1
(2)	ELEC 1	7	Elation Artiste Monet 1.3kW	Movers - Elec 1		103	11/68
(3)	ELEC 1	10	Elation Artiste Monet 1.3kW	Movers - Elec 1		102	11/135
(4)	ELEC 1	13	Elation Artiste Monet 1.3kW	Movers - Elec 1		101	11/202
(11)	ELEC 3	3	Elation Artiste Monet 1.3kW	Movers - Elec 3		94	13/202
(12)	ELEC 3	6	Elation Artiste Monet 1.3kW	Movers - Elec 3		93	13/135
(13)	ELEC 3	10	Elation Artiste Monet 1.3kW	Movers - Elec 3		92	13/68
(14)	ELEC 3	13	Elation Artiste Monet 1.3kW	Movers - Elec 3		91	13/1
(21)	A2-TOE	2	Elation Artiste Monet 1.3kW	Movers - Cat 1		48	16/1
(22)	A2-TOE	3	Elation Artiste Monet 1.3kW	Movers - Cat 1		54	16/68
(23)	A2-TOE	5	Elation Artiste Monet 1.3kW	Movers - Cat 1		53	16/135
(24)	A2-TOE	6	Elation Artiste Monet 1.3kW	Movers - Cat 1		52	16/202
(25)	A2-TOE	8	Elation Artiste Monet 1.3kW	Movers - Cat 1		51	15/1
(26)	A2-TOE	9	Elation Artiste Monet 1.3kW	Movers - Cat 1		50	15/68
(27)	A2-TOE	11	Elation Artiste Monet 1.3kW	Movers - Cat 1		49	15/135
(28)	A2-TOE	12	Elation Artiste Monet 1.3kW	Movers - Cat 1		31	15/202
(31)	CAT 2 TOE RAIL	1	Elation Artiste Monet 1.3kW	Movers - Cat 2		43	18/1

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & G	Dim	Address
(32)	CAT 2 TOE RAIL	2	Elation Artiste Monet 1.3kW	Movers - Cat 2		46	18/68
(33)	CAT 2 TOE RAIL	3	Elation Artiste Monet 1.3kW	Movers - Cat 2		44	18/135
(34)	CAT 2 TOE RAIL	5	Elation Artiste Monet 1.3kW	Movers - Cat 2		40	18/202
(35)	CAT 2 TOE RAIL	6	Elation Artiste Monet 1.3kW	Movers - Cat 2		38	17/1
(36)	CAT 2 TOE RAIL	8	Elation Artiste Monet 1.3kW	Movers - Cat 2		35	17/68
(37)	CAT 2 TOE RAIL	9	Elation Artiste Monet 1.3kW	Movers - Cat 2		34	17/135
(38)	CAT 2 TOE RAIL	10	Elation Artiste Monet 1.3kW	Movers - Cat 2		33	17/202
(41)	CAT 3 TOE RAIL	3	Elation Artiste Monet 1.3kW	Movers - Cat 3		30	20/1
(42)	CAT 3 TOE RAIL	6	Elation Artiste Monet 1.3kW	Movers - Cat 3		28	20/68
(43)	CAT 3 TOE RAIL	9	Elation Artiste Monet 1.3kW	Movers - Cat 3		27	20/135
(44)	CAT 3 TOE RAIL	10	Elation Artiste Monet 1.3kW	Movers - Cat 3		26	20/202
(45)	CAT 3 TOE RAIL	11	Elation Artiste Monet 1.3kW	Movers - Cat 3		24	20/269
(46)	CAT 3 TOE RAIL	14	Elation Artiste Monet 1.3kW	Movers - Cat 3		22	20/336
(47)	CAT 3 TOE RAIL	17	Elation Artiste Monet 1.3kW	Movers - Cat 3		21	19/1
(48)	CAT 3 TOE RAIL	20	Elation Artiste Monet 1.3kW	Movers - Cat 3		19	19/68
(49)	CAT 3 TOE RAIL	21	Elation Artiste Monet 1.3kW	Movers - Cat 3		17	19/135
(50)	CAT 3 TOE RAIL	22	Elation Artiste Monet 1.3kW	Movers - Cat 3		16	19/202

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & G	Dim	Address
(51)	CAT 3 TOE RAIL	25	Elation Artiste Monet 1.3kW	Movers - Cat 3		15	19/269
(52)	CAT 3 TOE RAIL	28	Elation Artiste Monet 1.3kW	Movers - Cat 3		14	19/336
(101)	CAT 3 TOE RAIL	12	Elation KL Profile FC 358w	Rep - Front	R119	23	35/1
(102)	CAT 3 TOE RAIL	15	Elation KL Profile FC 300w	Rep - Front	R119	23	35/43
(103)	CAT 3 TOE RAIL	18	Elation KL Profile FC 358w	Rep - Front	R119	20	35/85
(104)	CAT 3 TOE RAIL	13	Elation KL Profile FC 300w	Rep - Front	R119	23	35/22
(105)	CAT 3 TOE RAIL	16	Elation KL Profile FC 358w	Rep - Front	R119	20	35/64
(106)	CAT 3 TOE RAIL	19	Elation KL Profile FC 358w	Rep - Front	R119	20	35/106
(107)	CAT 2 HAND RAIL	1	Elation KL Profile FC 358w	Rep - Front	R119	39	32/211
(108)	CAT 2 HAND RAIL	2	Elation KL Profile FC 358w	Rep - Front	R119	39	32/190
(109)	CAT 2 HAND RAIL	3	Elation KL Profile FC 358w	Rep - Front	R119	39	32/169
(110)	A2-TOE	1	Elation KL Profile FC 358w	Rep - Front	R119	47	31/1
(111)	A2-TOE	4	Elation KL Profile FC 358w	Rep - Front	R119	47	31/22
(112)	A2-TOE	7	Elation KL Profile FC 358w	Rep - Front	R119	47	31/43
(113)	A2-TOE	10	Elation KL Profile FC 358w	Rep - Front	R119	47	31/64
(114)	A2-TOE	13	Elation KL Profile FC 358w	Rep - Front	R119	47	31/85
(121)	CAT 2 SHIN RAIL	7	Elation KL Profile FC 358w	Rep - SR	R119	41	32/85
	CAT 3 TOE RAIL	"	"	Rep - SL	"	29	37/1

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & G	Dim	Address
(122)	CAT 3 TOE RAIL	8	Elation KL Profile FC 358w	Rep - SL	R119	29	37/22
(124)	CAT 2 SHIN RAIL	8	Elation KL Profile FC 358w	Rep - SR	R119	41	32/64
	CAT 3 TOE RAIL	4	"	Rep - SL	"	29	37/43
(125)	CAT 3 TOE RAIL	5	Elation KL Profile FC 358w	Rep - SL	R119	29	37/64
(127)	CAT 2 SHIN RAIL	9	Elation KL Profile FC 358w	Rep - SR	R119	41	32/43
	CAT 3 TOE RAIL	2	"	Rep - SL	"	29	37/85
(128)	CAT 3 TOE RAIL	1	Elation KL Profile FC 358w	Rep - SL	R119	29	37/106
(130)	ELEC 1	6	Elation KL Profile FC 358w	Rep - SR	R119	106	21/64
(131)	ELEC 1	9	Elation KL Profile FC 358w	Rep - SR	R119	105	21/106
(132)	ELEC 1	12	Elation KL Profile FC 358w	Rep - SR	R119	105	21/148
(133)	ELEC 1	14	Elation KL Profile FC 358w	Rep - SR	R119	105	21/169
(134)	ELEC 1	15	Elation KL Profile FC 358w	Rep - SR	R119	105	21/190
(142)	CAT 3 TOE RAIL	24	Elation KL Profile FC 358w	Rep - SR	R119	13	33/1
(143)	CAT 2 SHIN RAIL	6	Elation KL Profile FC 358w	Rep - SL	R119	42	32/106
	CAT 3 TOE RAIL	23	"	Rep - SR	"	13	33/22
(145)	CAT 3 TOE RAIL	27	Elation KL Profile FC 358w	Rep - SR	R119	13	33/43
(146)	CAT 2 SHIN RAIL	5	Elation KL Profile FC 358w	Rep - SL	R119	42	32/127
	CAT 3 TOE RAIL	26	"	Rep - SR	"	13	33/64

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & G	Dim	Address
(148)	CAT 3 TOE RAIL	29	Elation KL Profile FC 358w	Rep - SR	R119	13	33/85
(149)	CAT 2 SHIN RAIL	2	Elation KL Profile FC 358w	Rep - SL	R119	42	32/148
	"	3	"	"	"	"	"
	CAT 3 TOE RAIL	30	"	Rep - SR	"	13	33/106
(150)	ELEC 1	1	Elation KL Profile FC 358w	Rep - SL	R119	106	21/1
(151)	ELEC 1	2	Elation KL Profile FC 358w	Rep - SL	R119	106	21/22
	"	3	"	"	"	"	"
(152)	ELEC 1	5	Elation KL Profile FC 358w	Rep - SL	R119	106	21/43
(153)	ELEC 1	8	Elation KL Profile FC 358w	Rep - SL	R119	106	21/85
(154)	ELEC 1	11	Elation KL Profile FC 358w	Rep - SL	R119	105	21/127
(161)	A2-HAND	1	Elation KL Profile FC 358w	Rep - Back	R119	45	31/106
(162)	A2-HAND	4	Elation KL Profile FC 358w	Rep - Back	R119	45	31/169
(163)	A2-HAND	7	Elation KL Profile FC 358w	Rep - Back	R119	32	31/232
(164)	A2-HAND	2	Elation KL Profile FC 358w	Rep - Back	R119	45	31/127
(165)	A2-HAND	5	Elation KL Profile FC 358w	Rep - Back	R119	32	31/190
(166)	A2-HAND	8	Elation KL Profile FC 358w	Rep - Back	R119	32	31/253
(167)	ELEC 2	1	Elation KL Profile FC 358w	Rep - Back	R119	99	22/1
(168)	ELEC 2	2	Elation KL Profile FC 358w	Rep - Back	R119	99	22/22
(169)	ELEC 2	3	Elation KL Profile FC 358w	Rep - Back	R119	99	22/43
(170)	ELEC 3	2	Elation KL Profile FC 358w	Rep - Back	R119	89	23/1
(171)	ELEC 3	5	Elation KL Profile FC 358w	Rep - Back	R119	89	23/22
(172)	ELEC 3	8	Elation KL Profile FC 358w	Rep - Back	R119	89	23/43
(173)	ELEC 3	11	Elation KL Profile FC 358w	Rep - Back	R119	89	23/64
(174)	ELEC 3	14	Elation KL Profile FC 358w	Rep - Back	R119	89	23/85

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & G	Dim	Address
(181)	A2-HAND	3	Elation KL Profile FC 358w	Rep - Vom 2	R119	45	31/148
(182)	CAT 3 SHIN RAIL	2	Elation KL Profile FC 358w	Rep - Vom 2	R119	23	36/22
(183)	CAT 3 SHIN RAIL	4	Elation KL Profile FC 358w	Rep - Vom 2	R119	18	34/1
(184)	CAT 3R TOE RAIL	1	Elation KL Profile FC 358w	Rep - Vom 1	R119	25	30/43
	"	2	"	Rep - Vom 2	"	18	30/1
(185)	CAT 2 TOE RAIL	4	Elation KL Profile FC 358w	Rep - Vom 1	R119	42	32/1
	"	7	"	Rep - Vom 2	"	41	32/22
(186)	CAT 3R SHIN RAIL	2	Elation KL Profile FC 358w	Rep - Vom 2	R119	18	30/22
(191)	A2-HAND	6	Elation KL Profile FC 358w	Rep - Vom 1	R119	32	31/211
(192)	CAT 3 SHIN RAIL	1	Elation KL Profile FC 358w	Rep - Vom 1	R119	25	38/1
(193)	CAT 3 SHIN RAIL	3	Elation KL Profile FC 358w	Rep - Vom 1	R119	20	36/1
(196)	CAT 3R SHIN RAIL	1	Elation KL Profile FC 358w	Rep - Vom 1	R119	25	30/64
(201)	ELEC 5	1	ChromaQ Colorforce II 72 800w	Rep - Cyc		82	26/1
(202)	ELEC 5	2	ChromaQ Colorforce II 72 800w	Rep - Cyc		82	26/104
(203)	ELEC 5	3	ChromaQ Colorforce II 72 800w	Rep - Cyc		80	26/207
(204)	ELEC 5	4	ChromaQ Colorforce II 72 800w	Rep - Cyc		80	26/310
(205)	ELEC 5	5	ChromaQ Colorforce II 72 800w	Rep - Cyc		78	25/1
(206)	ELEC 5	6	ChromaQ Colorforce II 72 800w	Rep - Cyc		78	25/104

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & G	Dim	Address
(207)	ELEC 5	7	ChromaQ Colorforce II 72 800w	Rep - Cyc		77	25/207
(208)	ELEC 5	8	ChromaQ Colorforce II 72 800w	Rep - Cyc		77	25/310
(211)	ELEC 3	1	Elation KL Profile FC 358w	Rep - Back	R119	89	23/201
(212)	ELEC 3	4	Elation KL Profile FC 358w	Rep - Back	R119	89	23/222
(213)	ELEC 3	7	Elation KL Profile FC 358w	Rep - Back	R119	89	23/243
(221)	ELEC 3	9	Elation KL Profile FC 358w	Rep - Back	R119	89	23/264
(222)	ELEC 3	12	Elation KL Profile FC 358w	Rep - Back	R119	89	23/285
(223)	ELEC 3	15	Elation KL Profile FC 358w	Rep - Back	R119	89	23/306
(411)	CAT 2 SHIN RAIL	4	Elation KL Profile FC 358w	Rep - SL		42	1/322
(412)	CAT 2 SHIN RAIL	1	Elation KL Profile FC 358w	Rep - SL		42	1/343
(421)	CAT 2 HAND RAIL	4	Elation KL Profile FC 358w	Rep - SL		41	32/301
(431)	A2-SHIN	3	Elation KL Profile FC 358w	Rep - SL		36	1/322
(441)	A2-SHIN	2	Elation KL Profile FC 358w	Rep - SL		36	1/343
(451)	A2-SHIN	4	Elation KL Profile FC 358w	Rep - SL		36	1/301
(461)	A2-SHIN	1	Elation KL Profile FC 358w	Rep - SL		36	1/364